Specialty Fonts Page 1 of 6



Specialty Fonts

Specialty Fonts


Use Specialty fonts to create unique and elaborate embroidery designs.

View Specialty fonts sample pictures, available keystrokes, font versions, recommended heights and any special notes for available Specialty fonts.



Specialty Fonts : Braille

Braille



Available Keystrokes

The following lists the keystrokes available for the Braille font.


Available Keystrokes

abcdefghijklmnopqrstuvwxyz àâäæçèéêëiîïòôöùûüœ 0123456789

! " # ' () * + , - . : ; ?

To display the following font characters, enter the keystroke(s) listed.

Special Keystrokes




Font Version

The font version for the Braille font is Version A.

Recommended Height

The recommended height for the Braille font is 0.59 inches/15mm.



Specialty Fonts : Braille New

Braille New



Available Keystrokes

The following lists the keystrokes available for the Braille New font.



In the Braille New font, upper-case letters are marked by a single extra dot in the lower-left corner of the array.

Available Keystrokes


Specialty Fonts Page 2 of 6

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 0123456789

!"#%'()*+,-./:;=?[]`{} ÀÂÄÆÇÈÉÊÏÎÏÒÔÖÙÛÜ àâäæçèéêëìîïòôöùûü

To display the following font characters, enter the keystroke(s) listed.

Special Keystrokes



Recommended Height

The following lists the recommended height for the Braille font is 0.59 inches/15mm.

Specialty Fonts : Braille New



Specialty Fonts : Chenille Block

Chenille Block



Available Keystrokes

The following lists the keystrokes available for the Chenille Block font.

Available Keystrokes

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789

#+-()/

To display the following font characters, enter the keystroke(s) listed below the image.

Special Keystrokes



۸

Font Version

The font version for the Chenille Block font is Version A.

Recommended Height

The following lists the recommended minimum height for the Chenille Block font.

Recommended Height

Minimur

Value

1.5 inches/36 mm

Specialty Fonts Page 3 of 6

Special Notes

Ron Ekstrom from Lasting Impressions Embroidery Company provided the following information:

- · Chenille Block font may be manipulated using any of the font envelopes and processes available for non chenille fonts.
- · The Chenille Block font chenille settings are ideal for the Orlon Acrylic yarn used for high school athletic patches.
- The chenille settings may be modified by converting the text to segments.
- When Chenille Block text is converted to segments, each letter will generate a lattice chenille segment and associated art segments which may be used with the OFFSET command to create guidelines for use in constructing additional chenille segments.
- · Characters such as the letters A, B, D, O, P, Q, R, 0, 4, 6, 8, and 9 will have two or more art segments since the offset command will not operate with complex segments.

For additional information about chenille services or chenille fonts available from Lasting Impressions Embroidery Company, please contact Ron Ekstrom at ron@chenille.cc or visit his website at www.chenille.cc

Specialty Fonts : Chenille Block



Specialty Fonts : Chenille Full Block

Chenille Full Block

CHENILLE FULL BLOCK

Available Keystrokes

The following lists the keystrokes available for the Chenille Full Block font

Available Keystrokes

ABCDEFGHIJKLMNOPQRSTUVWXYZ

0123456789

#+-()/

To display the following font characters, enter the keystroke(s) listed below the image.

Special Keystrokes



۸

Font Version

The font version for the Chenille Full Block font is Version A.

Recommended Height

The following lists the recommended minimum height for the Chenille Full Block font.

Recommended Height

Value

1.5 inches/36 mm

Minimum

Special Notes

Ron Ekstrom from Lasting Impressions Embroidery Company provided the following information:

- · Chenille Full Block font may be manipulated using any of the font envelopes and processes available for non chenille fonts.
- The Chenille Full Block font chenille settings are ideal for the Orlon Acrylic yarn used for high school athletic patches
- The chenille settings may be modified by converting the text to segments.
- When Chenille Full Block text is converted to segments, each letter will generate a lattice chenille segment and associated art segments which may be used with the OFFSET command to create guidelines for use in constructing additional chenille segments.
- · Characters such as the letters A, B, D, O, P, Q, R, 0, 4, 6, 8, and 9 will have two or more art segments since the offset command will not operate with complex segments

For additional information about chenille services or chenille fonts available from Lasting Impressions Embroidery Company, please contact Ron Ekstrom at ron@chenille.cc or visit his website at www.chenille.cc

Specialty Fonts : Chenille Full Block



Specialty Fonts : Chenille Phoenix

Specialty Fonts Page 4 of 6

Chenille Phoenix



Available Keystrokes

The following lists the keystrokes available for the Chenille Phoenix font.

Available Keystrokes

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

[1]_'

To produce a tail on the end of font characters, enter the code listed

Code Length

7 Letters long tail

Font Version

The font version for the Chenille Phoenix font is Version A.

Recommended Height

The following lists the recommended minimum height for the Chenille Phoenix font

Recommended Height Value
Minimum 3 inches/76 mm

Special Notes

- Chenille Phoenix is an Outline Chenille font.
- The Chenille Phoenix font sews a chain around the entire word first.
- A setting "Omit Chenille Command at Beginning of segment" should be active so that separated parts of the lettering (i.e. the dots of i's do not have an extra color). This setting is in the commands tab of the segment's properties page.

Specialty Fonts : Chenille Phoenix



Specialty Fonts : Chenille Script

Chenille Script

Chenille Script

Available Keystrokes

The following lists the keystrokes available for the Chenille Script font.

Available Keystrokes

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 0123456789

Length

To produce a tail on the end of font characters, enter the codes listed.

Code

Specialty Fonts Page 5 of 6

	*	3 Letters	
	&	4 Letters	
	%	5 Letters	
	\$	6 Letters 6 Letters	
	#		
	Font Version The font version for the Chenille Script font is Version A.		
Recommended Heights			
	The following lists the recommended minimum and maximum heights for the Chenille Script font.		
	Recommended Height		Value
Minimum			2 inches/51 mm

4 inches/102 mm

Specialty Fonts : Chenille Script

Maximum



Specialty Fonts: Chenille Two Color Block

Chenille Two Color Block

CHENILLE 2CL BLOCK

Available Keystrokes

The following lists the keystrokes available for the Chenille Two Color Block font.

Available Keystrokes

ABCDEFGHIJKLMNOPQRSTUVWXYZ

0123456789

Font Version

The font version for the Chenille Two Color Block font is Version C.



Chenille Two Color Block font will only work in later versions of the software (11 and higher).

Recommended Height

The following lists the recommended minimum and maximum heights for the Chenille Two Color Block font.

Recommended Height

Minimum

Maximum

Maximum

Value

3 inches/16mm
5 inches/127mm
5 inches/127mm

Specialty Fonts: Chenille Two Color Block



Specialty Fonts : Tackle-Single

Tackle-Single

TACKLE SINGLE

Available Keystrokes

The following lists the keystrokes available for the Tackle-Single font.

Available Keystrokes

ABCDEFGHIJKLMNOPQRSTUVWXYZ

0123456789

Font Version

The font version for the Tackle-Single font is Version B.

Page 6 of 6 **Specialty Fonts**



To get an exact fit, a font height of 3.46 inches/87.88mm must be entered. The recommended density is 24 pt. (master 4.0 +20.), satin style zig-zag.

The recommended pull-compensation is 110% but it is not absolutely necessary.

No compression of width or height in any way (fill box, adjust width, bridging, or distortion of baselines) is allowed.



Tackle Single is an appliqué font that is intended to be used only with 3-inch letters. These letters can be ordered through STAHLS at 1-800-521-9702.

General Instructions:

- Letter A. Letter B is recommended for registration purposes.
- Layout desired text using the desired Density and Satin stitch type Zig-zag looks very nice.
- Run the first color that will trace the lettering.
- Let machine come to a stop.
- Carefully place the appliqué letter on the trace.

 When in the correct position, the trace will be slightly under the edge of the fabric so that it will not be seen. Spray tack may be used (try to keep away from where needle will penetrate), or iron to hold position.
- Run color 2, which will do a tack down stitch all the way around the fabric and stitch down to garment
- Then, the zig-zag stitches are sewn.

Specialty Fonts: Tackle-Single



Specialty Fonts: Tackle Twill font

Tackle Twill font

KLE TWILL

Available Keystrokes

The following lists the keystrokes available for the Tackle Twill font.

Available Keystrokes

ABCDEFGHIJKLMNOPQRSTUVWXYZ

0123456789

Font Version

The font version for the Tackle Twill font is Version C.



To get an exact fit, a font height of 3.46 inches/87.88mm must be entered. The recommended density is 24 pt. (master 4.0 +20.), satin style zig-zag.

The recommended pull-compensation is 110% but it is not absolutely necessary.

No compression of width or height in any way (fill box, adjust width, bridging, or distortion of baselines) is allowed.



Tackle Twill is an appliqué font that is intended to be used only with 3-inch letters. These letters can be ordered through STAHLS at 1-800-521-9702.

Using the Tackle Twill font

To use the Tackle Twill font:

- Outline of background piece.
 Tack down and zig-zag stitch of background piece
- Outline of foreground piece
- Tack down and zig-zag stitch of foreground piece.

General Instructions:

- Letter A, Letter B is recommended for registration purposes.
- Layout desired text using the desired Density and Satin stitch type.
- Zig-zag looks very nice.
- Run the first color that will trace the lettering. Let machine come to a stop. Carefully place the appliqué letter on the trace.
- When in the correct position, the trace will be slightly under the edge of the fabric so that it will not be seen. Spray tack may be used (try to keep away from where needle will penetrate), or iron to hold position. Run color 2, which will do a tack down stitch all the way around the fabric and stitch down to garment.
- Then, the zig-zag stitches are sewn.

Specialty Fonts: Tackle Twill font

